

Weaver 62 Specifications



Hull Description

Planning modified deep V with tumble home transom, flared bow, lifting strakes and hard chimes.

Construction:

- 3 Layers 9 mm Okume plywood
- 1-layer 1708 E-glass outside bottom impregnated with epoxy 1708
- 1-layer 1308 Kevlar outside bottom impregnated with epoxy
- Laminated Douglas fir stringers glass encapsulated
- 1-layer 1708 E-glass inside bottom to chine
- 1-layer 1308 Kevlar inside bottom to chine.
- Hull side's 3 layers 6mm Okume plywood
- 2 layers E-glass outside impregnated with epoxy
- Epoxy coated Okume from chine to sheer
- Laminated Douglas fir battens, sheer clamp and chine
- All bilges, engine room and pump room faired and painted
- 3 layers 9mm Okume plywood on house sides
- 2 layers 6mm Okume plywood on bridge floor
- 1-layer E-glass impregnated with epoxy
- ¼" tempered gray lite 14 glass for side, back and door windows.
- A buildup of epoxy mixed with sand able faring compound and block and sanded smooth.
- Ablative/Copolymer anti-fouling bottom paint (3 coats), over Interlux Interprotect epoxy primer system
- Awlgrip brass thru hulls and sea strainers in engine room and forward bilge
- Awlgrip engine room, Lazarette, forward bilge and anchor locker for enhanced visibility and easier maintenance
- Dockside and overboard pump outs for holding tank
- Awlcraft high gloss polyurethane boot stripe
- Hatches, one (1) Bomar, fore-deck hatch
- Spray able faring compound applied and sanded smooth
- 6 primer coats of paint
- Finish Paint
- Paint Type – Awlcraft 2000

General Interior:

- Interior cabinetry and doors to be custom crafted, wood to be determined from builder's selection.
- The Cabinetry is to be constructed with combination of plywood, Divinycell, tri-cell and Nida-core.
- Countertops to be KVF

Type: Sport Fisherman

Engines: (2) TBT

Hull: Cold Molded

Year: TBT

LOA: 62' 5"

Beam: 18'4"

Disp: 67,570 LBS.

Fuel: 1300 Gallons

Water: 250 Gallons

Hull: TBD

Color: TBD

- Brushed Nickel hardware is to be used throughout.
- Amtico flooring where specified to be selected by owner
- Air conditioning – direct expansion, zoned with reverse cycle heat for complete climate control throughout the interior and with individual controls for staterooms and salon

Exterior Finishes:

- Awlgrip 2000 paint
- Teak covering boards
- Teak toe rail with varnish finish
- Teak cockpit floor
- 1" solid Stainless-steel rub rail

General Specs:

- 1300 +/- gal fuel capacity
- 250-gal water capacity
- 25 gal holding tank with 24v macerator pump
- Marine Exhaust Linear Mufflers
- Recessed trim tabs
- Aluminum Fuel Tanks
- Powers assist hydraulic steering with 1 Pump

Décor

- All hardware metal finishes satin nickel throughout
- Designer carpet, \$40 per yard allowance
- Designer fabrics by Kravet with \$45 per yard allowance
- Designer shams (2) per stateroom (3 for VIP forward layout)
- Next Day Blinds silhouette
- Interior finish satin, on vertical surfaces
- Ultraleather seating in salon
- Upgraded window panel fabric and trim

Main Salon and Galley:

- Sliding composite door, with electric door opener.
- Electrical panel
- 2 – 12,000 BTU AC – Crusair digital control
- 110-volt recessed lighting LED
- 24-volt accent rope lighting
- Tinted tempered glass
- Ultra-Leather sofas and dinette constructed by Costa Marine Canvas, Inc.
- Whisper Wall vinyl headliner
- Air conditioning with reverse cycle heat that circulates from concealed registers behind the valances to maximize comfort while minimizing noise and drafts – individual temperature control
- Blinds for desired natural lighting and additional privacy
- Carpeting, wall-to-wall with lined padding for sound absorption \$40 per yard allowance
- Cocktail table, teak, high-gloss finish-hi/low
- Amtico wood flooring at salon entrance
- Decorative throw pillows for sofa
- Fixed, side windows with tinted, tempered glass for style, natural lighting, and privacy

- 42" Samsung TV on a raise and lower mechanism with antenna or cable hook-up
- Lambrequins, fabric upholstered
- Lighting, overhead LED lights recessed in headliner with dimmer switches and direct decorative rope lighting behind valances, 24 VDC
- L-shaped lounge with lift cushions for storage
- Main electrical panel with AC selector breakers
- Whisper Wall headliner, owner's choice of color, 1/8" foam and tricot backing
- Teak cabinetry with drawers and bottle storage, finished veneer interior
- Valances solid teak, fluted with solid teak blind covers
- Amtico wood flooring in Galley
- Custom galley island, 360-degree access with refrigeration and freezers, KVF countertop
- Dinette couch with removable cushions and storage underneath
- Dinette table, teak, high-gloss finish
- 4-burner cook top, surface-mounted
- Exhaust fan, high velocity designed for exterior ventilation
- Ice maker, clear ice type concealed in companionway
- Lighting, overhead LED lights recessed in headliner with dimmer switches
- GE Microwave/convection oven located in upper galley cabinet
- Sink, double-bowl stainless steel, under-mounted in countertop with satin nickel galley faucet
- Storage cabinets in upper galley, varnished teak doors with finished maple interior
- Storage cabinets and drawers in lower galley, varnished teak doors and faces
- Water tank level gauge
- KVF countertops and sink with Grohe single lever faucet
- Appliances:
 1. Ice Maker – Whirlpool
 2. Refrigerator – 1 Subzero drawer systems (2 drawer)
 3. Freezer – 1 Subzero drawer systems (2 drawers)
 4. 4-burner cook top with exhaust fan
 5. Microwave/Convection – GE

Master Stateroom:

- Queen style bed with drawers and storage
- Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows
- 12000 BTU Crusair - Digital control
- Cedar lined hanging closets
- 110v recessed lighting or LED
- 24v accent rope lighting
- Private access to master head
- Wisperwall walls
- Carpet on floors with a \$40 per yard allowance
- Air conditioning with reverse cycle heat that circulates from concealed registers behind the valances to maximize comfort while minimizing noise and drafts - individual temperature control
- End tables each side of bed
- Headboard, upholstered
- Lighting, overhead LED lights recessed in headliner with dimmer switches
- Whisper Wall headliner, owners color selection, 1/8" foam and tricot backing
- Mattress, 6" Ortho-Pedic Foam
- Pillow shams (2), with throw pillows
- Reading lights, overhead with separate switches
- TV, 32" Samsung flat screen

Master Head:

- Fresh Water Flush Raritan Atlantes Head
- A/C Supply
- Wallpapered walls
- Air conditioning/heat with register
- Amtico wood flooring
- Exhaust fan with vent in soffit
- Guest Head, One-piece counter top KVF with sink and satin nickel faucet
- Lighting, overhead LED lights recessed in soffit and in ceiling
- Lower vanity with curved teak face
- Master Stateroom head countertop, KVF
- Master Stateroom head, one-piece custom frameless shower doors
- Medicine cabinet with mirrored doors
- Mirror around upper vanity insert
- Receptacle, 120V – GFCI
- Shower light
- Stall shower, fiberglass with satin nickel shower fixtures and with drain to automatic sump pump in bilge
- Towel bar and ring – satin nickel

VIP Stateroom:

- Double style bed cedar lined storage under
- Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows
- Cedar lined hanging locker
- 26" Samsung TV
- 9000 BTU Crusair with digital control
- 110v-recessed lighting
- 24v accent lighting
- Whisperwall walls
- Carpeted floors with a \$40 per yard allowance
- Bomar Hatch
- Air conditioning/heat with temperature control
- Lighting, overhead LED lights recessed in headliner with dimmer switches
- Whisper Wall headliner, owner's choice color, 1/8" foam and tricot backing
- Queen bed with 6" Ortho-Pedic Foam and lift up top with gas pistons and storage underneath
- Reading lights with separate switches

VIP Head:

- Freshwater Flush Raritan head
- Wallpapered walls
- Access from guest quarters
- Air conditioning/heat
- Amtico flooring
- Exhaust fan with vent in soffit
- Guest Head, KVF Corian countertop with rounded edges and sink with satin nickel faucet
- Lighting, overhead LED lights recessed in soffit and in ceiling
- Lower vanity with curved teak face

- Medicine cabinet with mirrored doors
- Mirror around upper vanity insert
- Receptacle, 120V – GFCI
- Shower light
- Stall shower, fiberglass with satin nickel shower fixtures and with drain to automatic sump pump in bilge
- Towel bar and ring – satin nickel

Crews Quarters:

- Soft goods by Costa Marine Canvas, Inc. including bedspread and pillows
- 19" Samsung TV
- 24v accent lighting
- Carpeted floors with a \$40 per yard allowance
- (2) bunk lights
- Air conditioning/heat with temperature control
- Bedspread – quilted, designer style
- Hanging locker, teak, cedar-lined with bar for hanging clothes
- Lighting, overhead LED lights
- Whisper Wall headliner, owner's choice color, 1/8" foam and tricot backing
- Storage drawers located under hanging locker
- Upper/lower bunks with 4" Ortho-Pedic foam mattress and lift up bottom for storage

Companionway:

- Wisperwall walls
- Awlgrip bilge areas with access hatches, snow white and lighted for easier maintenance and cleaning
- Carpeting, carpeted steps from galley through companionway \$40 per yard allowance
- Central vacuum unit connection with accessories
- Lighting, overhead LED lights recessed in headliner

Fly bridge open:

- Electrical panel for electronics (12 breakers)
- Horn
- Running lights
- Fuel Transfer switch with flow indicator lights
- High Water Alarms
- Bilge pump lights
- Genset indicator light
- 110-volt electrical outlet
- Fresh water wash down under seat
- Back-up engine controls supplied by engine manufacturer
- Custom helm pod with single lever electronic controls
- Engine shutdown switches at cabinet in console
- Extended overhang for extra room to move behind helm and companion seats with anodized aluminum aft railing
- Fire system control with automatic and manual discharge and override system located at console
- Gauges/electronic displays, include hour meter reading for main engines supplied by manufacturer

- Helm and companion seats, 2 seats, teak, ladder back with 4" pedestals and removable cushions and covers by Murray
- Instrumentation based on standard engine package, lighted with switches in radio box
- Lighted Ritchie compass, large and flush-mounted on centerline
- Lounge seating to port and starboard and at forward end of helm console with vinyl covered foam cushions, hinged for access to storage under seats
- Non-skid deck for traction and durability
- Recessed electronics box in console for custom electronics package that is easily viewable and protected from the elements by Teak fitted lid with gasket and stainless-steel gas pistons
- Recessed radio boxes, large radio boxes on port and starboard sides of console with switch panel inside
- Trim tab control switch mounted at console
- (2) Trumpet style air horns
- Under helm access with lights

Running Gear:

- Flush mount stainless steel struts
- (2) Aquamet 22, 3" shafts
- 5 blade Nibral propellers Michigan or Veems
- (2) 2 1/4" Stainless steel rudders
- Dripless rudder ports and glands by Tides Marine
- Shaft tube with dripless shaft seals by Tides Marine

Forward deck:

- Large Anchor locker with drain
- Fortress Anchor with 30' chain and 300ft of 3/4 nylon rope
- Non-skid walk area
- (4) cleats

Cockpit:

- Raised mezzanine with seating area
- Cockpit ladder with teak treads
- Salt & Fresh water wash down in cockpit
- Salt water wash down pump
- Stainless steel bait freezer
- Stainless steel lined travel freezer
- Tackle drawers with stainless steel drawer guides
- Engine room entrance
- Transom tuna door
- Teak covering boards
- (6) rod holders in covering boards
- Eskimo crushed ice machine with ice storage
- Lazarette access
- Cable TV and telephone connections in cabinet under port forward gunwale wired to a home runs in entertainment center
- RG6 TV cable to accommodate satellite system
- Dockside electric connection – (1) 50 amp/220V
- Dockside water connection with pressure reducing valve in cabinet under gunwale

- Engine room access with door and steps to engine room
- Extended flybridge overhang for shade
- Fresh water wash down with hose bib located in cabinet under gunwale
- Ladder to flybridge, one-piece, anodized aluminum
- Lazarette hatch with access to steering system, trim tabs
- Lighting, recessed LED deck lights in flybridge overhang
- Observation mezzanine with starboard aft facing lounge seating with Sunbrella covered cushions, hinged seats, tackle cabinet
- Stainless steel oversized refrigerated chill box in mezzanine step for direct access from cockpit
- Self-bailing cockpit with large scuppers
- Stainless steel gas springs on all hatches and lids

Engine Room and Mechanical:

- (1) 21.5 KW Onan Genset with Sound shield
- (2) V8 1300 Man Engines
- Seakeeper Gyro
- Livos mist eliminators
- Aluminum stringer caps
- (2) 24V exhaust fans
- (1) 230V Fresh water pumps
- 30-gal stainless steel hot water heater
- 110 volts and 24-volt engine room lighting
- Eskimo ice machine- 600 lb. per day
- Battery chargers (1) 240-volt 60 amp
- Racor filters – dual on engines – single on generator
- Batteries – (8) Deka group 27
- Battery switches – Blue Sea Systems 660-amp rotary switches
- Crusair compressor for travel freezer
- (4) bilge pumps – 3 with high water alarms
- Sea strainer on Gensets
- 24-volt water-wash down pump with strainer
- Fuel sight gauges
- Water and holding tank gauges
- External sea strainers for main engine pick-ups
- Fire suppression system, automatically and manually operated and tied into main engine and generator ignition and ventilation systems with override
- Fresh water filter – paper
- Fuel transfer, 24 VDC pump Oberdorfer
- Hour meters on generators
- Internal sea strainers for generator, and all other sea water pickups
- Mufflers - engines, in-line type with surge tubes in engine room
- Mufflers – generators, gas/water separators
- Multi stage speed 110V AC fresh water system with on deck fresh water fill and cockpit dockside supply inlet with pressure reducing valve
- PEX plumbing, fresh water system with manifold system to isolate individual areas

- Propellers, Class “S” pitch tolerance (ISO 484/2) and dynamic balancing. Advanced design cambered blade sections for optimum performance. Interceptors strips to adjust engine load. Nibral alloy for maximum durability.
- Racor fuel/water separator filters for main engines and single for generator.
- Rudders, stainless, composite rudder bearing with dripless seal laminated into hull
- Seacocks, bronze, ball-type sea valves for all thru- hulls below the water line - Awlgrip snow white
- Shafts – 2 Aquamet high-strength stainless steel, double-taper with machined keyway and main engine couplings
- Struts – thru-water, Nibral, with cutlass bearings
- Tides Marine water lubricated dripless shaft seals with crossover water supply from both engines
- Trim tabs, port and starboard tabs recessed in transom, individual controls for each tab with fiberglass covers

Plumbing:

- Hot & cold-water supply
- Indel Webasto 20-gal stainless steel hot water heater
- (1) 230-volt Scott water pumps
- 3 gal built in fresh water tank
- 45-gal Aluminum holding tank lined with epoxy
- Rule 2000 pumps for showers with 15-gal tank and float switch

Electrical:

- Wired to ABYC standards All Wires to be labeled at each end
- (1) 50 amps 125/250 volt – AC shore power cords
- (1) 50 amps 125/250 volt – AC shore power inlet at port forward cockpit
- Phone and cable outlet
- Paneltronics Panels
- Dyna plate bonding system
- Transom mounted zinc
- All necessary wiring to supply all specified 110 volts and 220-volt systems
- Crusair, Eskimo Ice, water maker, dryer and water heater systems to be 220 volts
- 24V DC ship’s service throughout
- 240/120V AC power supply
- 110V outlet in engine room on aft bulkhead
- Anchor light/navigation lights
- Battery charger, (1) with thermal cutoff and switching system for complete integration
- Battery distribution panels with battery cutoff for ship service batteries and engine batteries
- Bonded electrical system with ground plate
- Dimmers, DC LED interior lighting throughout excluding companionway
- Engine room lights, recessed AC and DC with switch at engine room entrance
- Lighting, overhead LED lights recessed in ceiling and rope style décor lights concealed by teak valances

Hard Top:

Molded Top 62’ Sportfish, Polish Pipe

- (2) Antenna, stands-offs, no Halyards, 3-sided track on perimeter rail.

- (6) Hardtop lights to be Tri-color Lumitec Lights with fiberglass recess (blue, white & red)
- (1) Radar Pod: Large oval style, mold #973, w/Sliding door for teaser reels
- (2) Handrails full length salon window (Weaver to paint)
- (1) Bridge rail, leg to leg, double aft to outer main leg
- (6) Rod holder polished weld to rail PBT style
- (1) 39' outrigger Rupp, HD 3 spreader, bridge release large solid aft bar
- (1) Nav. Lights port, Stbd, stern molded

Electronics:

All electronics are to be supplied by the owner.